

Connecting via Winsock to STN

Welcome to STN International! Enter x:

Welcome to STN International! Enter x:

Welcome to STN International! Enter x:

Sorry. Your logon could not be completed because
no recognized response was received from the gateway system.
Please check the gateway "Prompt Characters strings".

Welcome to STN International! Enter x:X

LOGINID:SSPTASXB1612

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	NOV 21	CAS patent coverage to include exemplified prophetic substances identified in English-, French-, German-, and Japanese-language basic patents from 2004-present
NEWS	3	NOV 26	MARPAT enhanced with FSORT command
NEWS	4	NOV 26	CHEMSAFE now available on STN Easy
NEWS	5	NOV 26	Two new SET commands increase convenience of STN searching
NEWS	6	DEC 01	ChemPort single article sales feature unavailable
NEWS	7	DEC 12	GBFULL now offers single source for full-text coverage of complete UK patent families
NEWS	8	DEC 17	Fifty-one pharmaceutical ingredients added to PS
NEWS	9	JAN 06	The retention policy for unread STNmail messages will change in 2009 for STN-Columbus and STN-Tokyo
NEWS	10	JAN 07	WPIDS, WPINDEX, and WPIX enhanced Japanese Patent Classification Data
NEWS	11	FEB 02	Simultaneous left and right truncation (SLART) added for CERAB, COMPUAB, ELCOM, and SOLIDSTATE
NEWS	12	FEB 02	GENBANK enhanced with SET PLURALS and SET SPELLING
NEWS	13	FEB 06	Patent sequence location (PSL) data added to USGENE

NEWS EXPRESS JUNE 27 08 CURRENT WINDOWS VERSION IS V8.3.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation

of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 09:32:28 ON 11 FEB 2009

=> file registry
COST IN U.S. DOLLARS

SINCE FILE ENTRY	TOTAL SESSION
0.44	0.44

FILE 'REGISTRY' ENTERED AT 09:33:41 ON 11 FEB 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 9 FEB 2009 HIGHEST RN 1103577-63-4
DICTIONARY FILE UPDATES: 9 FEB 2009 HIGHEST RN 1103577-63-4

New CAS Information Use Policies, enter HELP USAGE TERMS for details.


TSCA INFORMATION NOW CURRENT THROUGH July 5, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stn/gen/stndoc/properties.html>

=>
Uploading C:\Program Files\STNEXP\Queries\10521946.str



chain nodes :

24 31 32 33 34 35 36

ring nodes :

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
25	26	27	28	29	30																	

chain bonds :

23-24 25-33 29-31 30-32 31-35 31-36 32-34

ring bonds :

1-2	1-6	2-3	3-4	4-5	4-8	5-6	5-19	7-8	7-12	7-19	8-9	9-10	9-21	10-11
10-23	11-12	11-15	12-20	13-14	13-18	14-15	14-20	15-16	16-17	17-18	19-25			
20-27	21-22	22-23	25-26	25-30	26-27	27-28	28-29	29-30						

exact/norm bonds :

4-8	5-19	7-19	9-21	10-23	11-15	12-20	14-20	19-25	20-27	21-22	22-23
23-24	25-26	25-30	26-27	27-28	28-29	29-30	29-31	30-32	31-36		

exact bonds :

25-33 31-35 32-34

normalized bonds :

1-2	1-6	2-3	3-4	4-5	5-6	7-8	7-12	8-9	9-10	10-11	11-12	13-14	13-18
14-15	15-16	16-17	17-18										

Match level :

1:Atom	2:Atom	3:Atom	4:Atom	5:Atom	6:Atom	7:Atom	8:Atom	9:Atom	10:Atom
11:Atom	12:Atom	13:Atom	14:Atom	15:Atom	16:Atom	17:Atom	18:Atom	19:Atom	
20:Atom	21:Atom	22:Atom	23:Atom	24:CLASS	25:Atom	26:Atom	27:Atom	28:Atom	
29:Atom	30:Atom	31:CLASS	32:CLASS	33:CLASS	34:CLASS	35:CLASS	36:CLASS		

Stereo Bonds:

25-19 (Single Wedge).

27-20 (Single Wedge).

31-29 (Single Wedge).

32-30 (Single Wedge).

33-25 (Single Hash).

Stereo Chiral Centers:


25 (Parity=Even)
27 (Parity=Odd)
29 (Parity=Odd)
30 (Parity=Even)

Stereo RSS Sets:

Type=Relative (Default). 4 Nodes= 25 27 29 30


L1 STRUCTURE UPLOADED

=> d
L1 HAS NO ANSWERS
L1 STR



Structure attributes must be viewed using STN Express query preparation.

=>
Uploading C:\Program Files\STNEXP\Queries\10521946 II.str



chain nodes :

24 31 32 33 34 35

ring nodes :

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
25 26 27 28 29 30 36 37 38 39 40 41

chain bonds :

23-24 25-33 29-31 30-32 31-35 31-36 32-34

ring bonds :

1-2 1-6 2-3 3-4 4-5 4-8 5-6 5-19 7-8 7-12 7-19 8-9 9-10 9-21 10-11
10-23 11-12 11-15 12-20 13-14 13-18 14-15 14-20 15-16 16-17 17-18 19-25
20-27 21-22 22-23 25-26 25-30 26-27 27-28 28-29 29-30 36-37 36-41 37-38
38-39 39-40 40-41

exact/norm bonds :

4-8 5-19 7-19 9-21 10-23 11-15 12-20 14-20 19-25 20-27 21-22 22-23
23-24 25-26 25-30 26-27 27-28 28-29 29-30 29-31 30-32 31-36

exact bonds :

25-33 31-35 32-34

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6 7-8 7-12 8-9 9-10 10-11 11-12 13-14 13-18
14-15 15-16 16-17 17-18 36-37 36-41 37-38 38-39 39-40 40-41

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom
20:Atom 21:Atom 22:Atom 23:Atom 24:CLASS 25:Atom 26:Atom 27:Atom 28:Atom
29:Atom 30:Atom 31:CLASS 32:CLASS 33:CLASS 34:CLASS 35:CLASS 36:CLASS
37:Atom 38:Atom 39:Atom 40:Atom 41:Atom

Stereo Bonds:

25-19 (Single Wedge).
27-20 (Single Wedge).
31-29 (Single Wedge).

32-30 (Single Wedge).
33-25 (Single Hash).

Stereo Chiral Centers:

25 (Parity=Even)
27 (Parity=Odd)
29 (Parity=Odd)
30 (Parity=Even)

Stereo RSS Sets:

Type=Relative (Default). 4 Nodes= 25 27 29 30

L2 STRUCTURE UPLOADED

=> d
L2 HAS NO ANSWERS
L2 STR

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

Structure attributes must be viewed using STN Express query preparation.

=> s 11 fam sam
SAMPLE SEARCH INITIATED 09:34:38 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 5 TO ITERATE

100.0% PROCESSED 5 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 5 TO 234
PROJECTED ANSWERS: 0 TO 0

L3 0 SEA FAM SAM L1

=> s 11 fam full
FULL SEARCH INITIATED 09:34:43 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 117 TO ITERATE

100.0% PROCESSED 117 ITERATIONS 2 ANSWERS
SEARCH TIME: 00.00.01

L4 2 SEA FAM FUL L1

=> s 12 fam sam
SAMPLE SEARCH INITIATED 09:34:48 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 7 TO ITERATE

100.0% PROCESSED 7 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 7 TO 298
PROJECTED ANSWERS: 0 TO 0

L5 0 SEA FAM SAM L2

=> s 12 fam full
FULL SEARCH INITIATED 09:34:53 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 159 TO ITERATE

100.0% PROCESSED 159 ITERATIONS
SEARCH TIME: 00.00.01


0 ANSWERS

L6 0 SEA FAM FUL L2

=> d 14 1-2


L4 ANSWER 1 OF 2 REGISTRY COPYRIGHT 2009 ACS on STN
RN 340683-49-0 REGISTRY
ED Entered STN: 12 Jun 2001
CN 9,13-Epoxy-1H,9H-diindolo[1,2,3-gh:3',2',1'-lm]pyrrolo[3,4-j][1,7]benzodiazonin-1-one, 11-[di(methyl-t)amino]-2,3,10,11,12,13-hexahydro-10-methoxy-9-methyl-, (9S,10R,11R,13R)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C29 H26 N4 O3 T2
SR CAS Client Services

Absolute stereochemistry.



L4 ANSWER 2 OF 2 REGISTRY COPYRIGHT 2009 ACS on STN
RN 129623-30-9 REGISTRY
ED Entered STN: 28 Sep 1990
CN 9,13-Epoxy-1H,9H-diindolo[1,2,3-gh:3',2',1'-lm]pyrrolo[3,4-j][1,7]benzodiazonin-1-one, 11-(dimethylamino)-2,3,10,11,12,13-hexahydro-10-methoxy-9-methyl-, (9S,10R,11R,13R)- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN 9,13-Epoxy-1H,9H-diindolo[1,2,3-gh:3',2',1'-lm]pyrrolo[3,4-j][1,7]benzodiazonin-1-one, 11-(dimethylamino)-2,3,10,11,12,13-hexahydro-10-methoxy-9-methyl-, [9S-(9 α ,10 β ,11 β ,13 α)]-
OTHER NAMES:
CN 4'-N-Methylstaurosporine
CN N-Methylstaurosporine
FS STEREOSEARCH
MF C29 H28 N4 O3
SR CA
LC STN Files: BIOSIS, CA, CAPLUS, MEDLINE, TOXCENTER, USPATFULL

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10 REFERENCES IN FILE CA (1907 TO DATE)
 10 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> file caplus		SINCE FILE	TOTAL
COST IN U.S. DOLLARS		ENTRY	SESSION
FULL ESTIMATED COST		151.72	152.16

FILE 'CAPLUS' ENTERED AT 09:36:18 ON 11 FEB 2009
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 11 Feb 2009 VOL 150 ISS 7
 FILE LAST UPDATED: 10 Feb 2009 (20090210/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 129623-30-9/rn

10 129623-30-9
 0 129623-30-9D
 L7 10 129623-30-9/RN
 (129623-30-9 (NOTL) 129623-30-9D)

=> d 1-10

L7 ANSWER 1 OF 10 CAPLUS COPYRIGHT 2009 ACS on STN
 AN 2003:356267 CAPLUS
 DN 138:348697
 TI Staurosporine derivatives as inhibitors of FLT3 receptor tyrosine kinase activity
 IN Griffin, James Douglas; Manley, Paul William
 PA Novartis A.-G., Switz.; Novartis Pharma G.m.b.H.; Dana-Farber Cancer Institute, Inc.
 SO PCT Int. Appl., 73 pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2003037347	A1	20030508	WO 2002-EP12076	20021029
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LT, LU, LV, MA, MD, MK, MN, MX, NO, NZ, OM, PH, PL, PT, RO, RU, SE, SG, SI, SK, TJ, TM, TN, TR, TT, UA, US, UZ, VC, VN, YU, ZA, ZW				
	RW: AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR				
	CA 2462657	A1	20030508	CA 2002-2462657	20021029
	AU 2002357992	A1	20030512	AU 2002-357992	20021029
	EP 1441737	A1	20040804	EP 2002-791654	20021029
	EP 1441737	B1	20060809		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK				
	BR 2002013739	A	20041019	BR 2002-13739	20021029
	HU 2004001642	A2	20041129	HU 2004-1642	20021029
	HU 2004001642	A3	20080528		
	CN 1582150	A	20050216	CN 2002-821891	20021029
	JP 2005507412	T	20050317	JP 2003-539690	20021029
	NZ 532136	A	20060831	NZ 2002-532136	20021029
	AT 335490	T	20060915	AT 2002-791654	20021029
	ES 2269793	T3	20070401	ES 2002-791654	20021029
	RU 2337692	C2	20081110	RU 2004-116472	20021029
	ZA 2004002498	A	20050608	ZA 2004-2498	20040330
	MX 2004004137	A	20050125	MX 2004-4137	20040430
	NO 2004002123	A	20040713	NO 2004-2123	20040524
	US 20050020570	A1	20050127	US 2004-493786	20040915
	HK 1068262	A1	20070525	HK 2005-100399	20050114
	AU 2006249245	A1	20070104	AU 2006-249245	20061207
PRAI	US 2001-339031P	P	20011030		
	US 2001-338185P	P	20011207		
	WO 2002-EP12076	W	20021029		

OS MARPAT 138:348697
 RE.CNT 10 THERE ARE 10 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 2 OF 10 CAPLUS COPYRIGHT 2009 ACS on STN
 AN 2003:51675 CAPLUS
 DN 140:202
 TI Anti-proliferative effects of new staurosporine derivatives isolated from

a marine ascidian and its predatory flatworm. [Erratum to document cited in CA136:177460]
AU Schupp, P.; Steube, K.; Meyer, C.; Proksch, P.
CS Centre for Marine Biofouling and Bio-innovation, University of New South Wales, Sydney, 2052, Australia
SO Cancer Letters (Shannon, Ireland) (2003), 190(1), 119
CODEN: CALEDQ; ISSN: 0304-3835
PB Elsevier Science Ireland Ltd.
DT Journal
LA English

L7 ANSWER 3 OF 10 CAPLUS COPYRIGHT 2009 ACS on STN
AN 2002:106533 CAPLUS
DN 136:276287
TI Further new staurosporine derivatives from the ascidian *Eudistoma toealensis* and its predatory flatworm *Pseudoceros* sp.
AU Schupp, Peter; Proksch, Peter; Wray, Victor
CS University of New South Wales, Centre for Marine Biofouling and Bio-Innovation, Sydney, 2052, Australia
SO Journal of Natural Products (2002), 65(3), 295-298
CODEN: JNPRDF; ISSN: 0163-3864
PB American Chemical Society
DT Journal
LA English
RE.CNT 28 THERE ARE 28 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 4 OF 10 CAPLUS COPYRIGHT 2009 ACS on STN
AN 2001:794768 CAPLUS
DN 136:177460
TI Anti-proliferative effects of new staurosporine derivatives isolated from a marine ascidian and its predatory flatworm
AU Schupp, P.; Steube, K.; Meyer, C.; Proksch, P.
CS Center for Marine Biofouling and Bio-Innovation, University of New South Wales, Sydney, 2052, Australia
SO Cancer Letters (Shannon, Ireland) (2001), 174(2), 165-172
CODEN: CALEDQ; ISSN: 0304-3835
PB Elsevier Science Ireland Ltd.
DT Journal
LA English
RE.CNT 44 THERE ARE 44 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 5 OF 10 CAPLUS COPYRIGHT 2009 ACS on STN
AN 2000:291484 CAPLUS
DN 133:89714
TI Synthesis and antiangiogenic activity of staurosporine derivatives
AU Li, Zhuorong; Sunazuka, Toshiaki; Yamada, Rintaro; Kato, Yumiko; Enomoto, Akiko; Hayashi, Masahiko; Harigaya, Yoshihiro; Omura, Satoshi
CS Research Center for Biological Function, The Kitasato Institute, and Kitasato University, Minato-ku, Tokyo, 108, Japan
SO Journal of Antibiotics (2000), 53(4), 426-429
CODEN: JANTAJ; ISSN: 0021-8820
PB Japan Antibiotics Research Association
DT Journal
LA English
RE.CNT 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 6 OF 10 CAPLUS COPYRIGHT 2009 ACS on STN
AN 1996:652178 CAPLUS
DN 125:296777

OREF 125:55427a,55430a
TI The staurosporine producing strain *Streptomyces longisporoflavus* produces metabolites related to K-252a. Proposal for biosynthetic intermediates of K-252a
AU Cai, Yang; Freedenhagen, Andreas; Hug, Paul; Peter, Heinrich H.
CS Pharmaceutical Res. Phys. Dep., CIBA-GEIGY Ltd., Basel, 4002, Switz.
SO Journal of Antibiotics (1996), 49(10), 1060-1062
CODEN: JANTAJ; ISSN: 0021-8820
PB Japan Antibiotics Research Association
DT Journal
LA English

L7 ANSWER 7 OF 10 CAPLUS COPYRIGHT 2009 ACS on STN
AN 1995:896129 CAPLUS
DN 123:314239

OREF 123:56347a,56350a
TI Preparation of staurosporine derivatives modified in the sugar moiety as selective inhibitors of myosin light chain kinase
IN Yamada, Rintaro; Seto, Minoru; Sunatsuka, Toshiaki; Oomura, Satoshi
PA Asahi Chemical Ind, Japan; Kitasato Inst
SO Jpn. Kokai Tokkyo Koho, 11 pp.
CODEN: JKXXAF

DT Patent
LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 07112987	A	19950502	JP 1993-280344	19931014
PRAI	JP 1993-280344		19931014		
OS	MARPAT 123:314239				

L7 ANSWER 8 OF 10 CAPLUS COPYRIGHT 2009 ACS on STN
AN 1993:495905 CAPLUS
DN 119:95905

OREF 119:17321a,17324a
TI 4'-(N-substituted) staurosporine N-oxide derivatives
IN Kirkup, Michael P.
PA Schering Corp., USA
SO PCT Int. Appl., 27 pp.
CODEN: PIXXD2

DT Patent
LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9307153	A1	19930415	WO 1992-US8256	19921005
	W: AU, BB, BG, BR, CA, CS, FI, HU, JP, KP, KR, LK, MG, MN, MW, NO, PL, RO, RU, SD, US				
	RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, SN, TD, TG				
	AU 9228669	A	19930503	AU 1992-28669	19921005
	EP 540185	A1	19930505	EP 1992-309053	19921005
	R: PT				
PRAI	US 1991-774395	A1	19911010		
	WO 1992-US8256	A	19921005		
OS	MARPAT 119:95905				

RE.CNT 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 9 OF 10 CAPLUS COPYRIGHT 2009 ACS on STN
AN 1991:159487 CAPLUS
DN 114:159487

OREF 114:26855a,26858a
TI An automated filtration assay for protein kinase C ligands
AU Gross, J. L.; Enders-Stephens, L.; Herblin, W. F.
CS Med. Prod. Dep., E. I. du Pont de Nemours and Co., Inc., Wilmington, DE,
19898, USA
SO Analytical Biochemistry (1991), 193(1), 149-54
CODEN: ANBCA2; ISSN: 0003-2697
DT Journal
LA English

L7 ANSWER 10 OF 10 CAPLUS COPYRIGHT 2009 ACS on STN
AN 1990:549352 CAPLUS
DN 113:149352
OREF 113:25321a,25324a
TI Characterization of specific [³H]dimethylstaurosporine binding to protein
kinase C
AU Gross, Janet L.; Herblin, William F.; Do, Un Hoi; Pounds, J. Scott;
Buenaga, Lisa Johnson; Stephens, Lynn Enders
CS Med. Prod. Dep., E. I. Du Pont de Nemours and Co., Inc., Wilmington, DE,
19898, USA
SO Biochemical Pharmacology (1990), 40(2), 343-50
CODEN: BCPA6; ISSN: 0006-2952
DT Journal
LA English

=> s 340683-49-0/rn
0 340683-49-0
0 340683-49-0D
L8 0 340683-49-0/RN
(340683-49-0 (NOTL) 340683-49-0D)

=> logoff
ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF
LOGOFF? (Y)/N/HOLD:y

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	21.96	174.12

STN INTERNATIONAL LOGOFF AT 09:37:09 ON 11 FEB 2009